

# Genuine Supplies & Consumables



**Cash roll / POS roll**  
80mm x 80mm Box of 60 rolls

Thermal Pos Receipt (Cash Register)  
Roll-55gsm,80mmX80mm,0.5" Inch  
Core,60 Rolls Each Box,1 Ply.



**Color Thermal Labels**  
Various sizes available thermal transfer & direct Thermal papers



**Queue System tickets**  
Compatible for qmatic and other queue Systems.



**Barcode Labels**  
Various sizes and materials like Direct Thermal, Thermal Transfer, polyester etc.



**Shelf Tag**  
Available all sizes and customized sizes with color printing and material thermal transfer, direct thermal and polyester.



**Assets Labels**  
Available with the matt silver and white polyester with various sizes & custom sizes and color printing.



**Custom Preprinted ID Cards**  
Customized preprinted cards for loyalty Citizen, National ID, Patient, Membership & Bank cards, with the technology like RFID, NFC,MSR etc.



**Key tags cards for loyalty and Membership**  
Customized color Key-Tags cards for loyalties and membership systems.



**Pegasus Genuine Supplies Wax and Resin Ribbons**  
Support all zebra, Honeywell and Citizen printers.



**Zebra Genuine Supplies Wax and Resin Ribbons**  
Available for Gc420, Zt410, Zt230 & other zebra printers.



**Zebra Genuine TrueColours Series Card Ribbon**  
The wide range of Genuine Zebra Supplies includes both standard and custom-made media solutions for all applications.



**RFID Labels & Tags**  
RFID wide range of labels/tags for jewelry, Apparels laundries, warehouse and assets.



Contact Us

## Europe, Middle East, & Africa

### Dubai

Pos Scan Computer Trading Co. L.L.C.  
Mohammed Noor Taleb Building, Souk Al Kabir,  
Khalid Bin Waleed Road. Computer Street,  
6th Floor, Office-606, BurDubai, Opp: Ascot Hotel  
Tel: +971 4 3266 366, Fax: +971 4 3266 633  
Mob: +971 508 44 7624 / +971 558 83 8749  
P.O. Box: 90701, Dubail UAE  
Email: Mkt@PosGulf.com  
Website: www.PosGulf.com

### Kuwait


Pegasus International Computer Co. W.L.L.  
Ahmed Al Jaber St. Al Madina Tower 3rd Floor  
Tel : +965 2247 9255, Fax +965 2245 8435  
Mob: +965 995 343 88, +965 6698 4108  
P.O. Box: 12459 Shamiya 71655 Kuwait  
Email: Mkt@PegasusTech.net  
Website: www.PegasusTech.net



# Enclosure POS Solution For iPhone and Tablets



Shop Now Online And get Rewards







At POSGULF, we are committed to delivering the industry leading automatic identification and data capture (AIDC) and point-of-sale (POS) technology solutions to our reseller, partners and end users.

We wrap these solutions with the value-added services resellers need to strengthen and grow their business, including education and training, state-of-the-art logistics, financial services, technical support, custom configuration, professional assistance, marketing support, and e-commerce solutions to name but a few.

Delivering this combination of POS/AIDC technology and assistance to our customers allows them to focus on growing their business and cultivating their end-user relationships. We aim to deliver a deep knowledge base and a dedicated focus. We're glad you found us.

**Pegasus Point of Sale Systems**



**Pegasus RPOS-5000**  
 CPU: Intel core i7 3630QM, i5 3320 M, i3 3120M  
 Touch :5 Wire Resistive or SAW  
 RAM: 2GB/4GB  
 OS: POS Ready 2009, POS Ready 2007, XP pro  
 Vista, Linux, Window 7, Window 8.



**Pegasus RPOS-6000**  
 CPU: Intel® Core™ i3 3610E, i5 3320M, i73630QM  
 Touch: 15", 5 Wire Resistive/Capacitive  
 Touch screen  
 RAM: 4GB/8GB, HDD or SSD: 500GB  
 OS Support: POS Ready 2009, POS Ready 7, XP Pro, Vista, Linux, Windows 7  
 Windows 8.



**Pegasus Jeana POS JE5110**  
 CPU : Intel® Celeron® 1037U (Speed 1.8GHz), Dual-Core  
 Touch : 5 Wire Resistive Touch  
 RAM : 2GB  
 OS : Windows7, Windows Vista, Windows XP

**Pegasus Point of Sale Systems**



**Pegasus E-POS Power POS**  
 CPU: Intel Dual core 2.35GHz/Atom dual core 1.8  
 RAM:2GB/4GB  
 Touch: 15" Fujitsu Resistive touch  
 OS: Windows XP, POSReady 2009, Windows 7, POSReady 7.



**Pegasus PHA-POS23 Android & Windows POS 15" All in one**  
 CPU: Intel® Atom™ Processor D2550, Rockchip RK3066 Dual-core Cortex-A9  
 1.5GHz or Quad Core  
 Touch: 15", Capacitive touch screen  
 RAM: 2GB/4GB  
 OS: Windows XP / VISTA/WIN7/WIN8 (optional)  
 Printer: 3" Thermal Printer



**Pegasus EverPOS**  
 CPU: Intel® Celeron G1820TE 2.20GHz, i3-4330TE 2.40 Ghz, i5-4590T 3.0 Ghz4  
 Aluminum Die-casting + Plastic (Bezel-Free)  
 Touch: 15", Capacitive Touch  
 OS : Windows 8 , Windows 7, Windows xp

**Pegasus Cash Drawers**



**Pegasus PCD-410**  
 Dimension: 410W\*420D\*100H mm/  
 Currency layout: 4/5/6/8-Bill with Metal wire grips, 8 Adjustable Coin Slots  
 Interface: RJ11, RJ12, USB, RS232, DCΦ2.5 /3.5 Jack, custom type  
 Slide ball bearing



**Pegasus PCD-438FB Flip-Top**  
 Dimension: 460(W) x 170(D) x 100(H)mm  
 Tray: 6 Bill, 8 Coin  
 Interface: RJ-11, RJ-12 or RS-232 (optional), USB (optional)



**Pegasus PCD-420**  
 Dimension: 420(W)x4 40(D)x1 00(H)mm  
 Currency layout: 4, 5, 6, 8-Bill with Metal wire grips, 8 Adjustable Coin Slots  
 Interface: RJ11, RJ12, USB, RS232, DCΦ2.5 /3.5 Jack, custom type  
 Slide roller



**Pegasus Cash Drawer Bluetooth Cash Drawer**  
 Heavy duty Metal drawer with key lock. Spring loaded bill chip & detachable coin tray.  
 Tray : 4/6Bill, 8 coin, Slip slot : 1  
 Material : Steel Body, Tray: ABS plastic, Clip: Metal, Interface: RJ-11, 24V(standard)  
 Color: Black, Ivory/Black, Interface: Rj11  
 Connectivity : Bluetooth.



**Zebra Mobile Computers**



**Zebra MC3200**  
 Windows Embedded Compact 7.0  
 Android 4.1  
 512 MB RAM/2 GB Flash 1GB  
 RAM/4 GB Flash  
 Bluetooth 2.1 with Enhanced Data Rate  
 I/O:USB 1.1 Full Speed Host or Rs232



**TC8000 Touch Computer**  
 Android AOSP 4.4.3 (KitKat) with Mobility  
 1GB RAM; Standard model: 4GB Flash  
 Bluetooth 4.0 (Smart technology)  
 USB, Serial for ISV developers (optional)  
 Wi-Fi Multimedia



**MC40 Mobile Computer**  
 CPU 800MHz OMAP 4 dual-core processor  
 Operating System Android 4.1.1  
 Memory 1 GB RAM/8 GB Flash  
 Bluetooth v 2.1 with EDR  
 Connectivity USB 2.0 OTG connector



**MC55 Mobile Computer**  
 CPU:Marvell™ PXA 320 @ 806 Mhz processor  
 Operating System:Microsoft® Windows Mobile® 6.5 Classic  
 Memory:256 MB RAM/1 GB Flash  
 Bluetooth Class II, v 2.1

**Pegasus Handheld Mobile Computers**



**Pegasus PPT-4000 Android Handheld Mobile Computer**  
 CPU: Cortex-A9 1GHz dual core  
 RAM: 512MB RAM/1GB RAM (Optional)  
 Storage: Built-in 4GB Flash, MicroSD (Max.32GB expansion )  
 OS: Android 4.0.4



**Pegasus PPT-5000 Handheld Mobile Computer**  
 CPU: Samsung ARM 920T, @533MHz  
 Storage: 1GB Flash, MicroSD (max. 32GB expansion)  
 RAM: 128MB  
 OS: Windows Embedded CE6.0 Core  
 Display: 3.2 TFT LCD with backlight



**Pegasus PPT8522 all in One Android**  
 CPU: ARM A7 dual-core 1.3GHz with 3G,wifi,NFC,GPS,bluetooth  
 OS: Android 4.2  
 Memory: ROM-4GB, RAM-512 MB  
 Printer: 58mm thermal printer  
 Display: 3.5 inch, capacitive touch screen



**MC67 Mobile Computer**  
 CPU: Dual core 800 MHz OMAP 4 processor  
 OS: Android 4.1, Windows Embedded Handheld 6.5 Professional  
 Memory : 512 MB RAM/2 GB Flash  
 Display: 3.5 in. color VGA display, touch

**Pegasus Wireless Barcode Scanners**



**Pegasus PSW-1100**  
 Scan rate: 200 scans/sec  
 Resolution: 5mil or 3mil  
 Light source: 650nm  
 Working Range: Upto 200 meters  
 Indicator: Visual, Audio, Customized



**Pegasus PS-1000-WiFi**  
 Scan rate: 270 scans/seconds  
 Optical Sensor: 2500 pixels  
 Light source: Red LED (660nm)  
 Resolution: 3 mil  
 Working Range: Upto 30 mtr



**Honeywell Voyager 1202g**  
 Scan rate: 100 scan/sec  
 Radio/Range: 2.4 to 2.5 Ghz, Bluetooth v2.1; Class 2: 10m (33') line of sight  
 Scan Pattern: Single scan line  
 Number of Scans: Up to 45,000 scans per charge



**Pegasus PS2230**  
 Scan Speed: 300 scans/sec  
 Wireless transmitting distance : 100 mtr  
 Charging Station  
 Decoding Speed : 300 times /s  
 Optical Source : 620nm Visible red light Diode  
 Dual Instant / Storage Mode

**Pegasus Wireless Barcode Scanners**



**Pegasus PS2220**  
 Decoding Speed : 300 times /s  
 Working Range: 50 meter  
 Optical Source : 620nm Visible red light Diode  
 Mode: Dual Instant / Storage Mode



**Motorola LS-3578-FZ Rugged Cordless Scanner**  
 integrated Bluetooth  
 Scanner type: Retro Collective  
 Working Range: 200 meter  
 Light source: 650nm visible laser diode  
 Scan element: 36 scans/sec typical  
 Minimum element width: 7.5 mil (0.191)



**Pegasus PS1110**  
 Colour Depth: 24 Bit  
 Interface Type: RJ 45 crystal head  
 Scan Speed: 200 times /s  
 Light intensity : 3000-12000Lux  
 Depth of field : 10mm-630mm



**Motorola DS7708 Presentation Scanner**  
 Swipe Speed:Up to 100 in./sec. (254 cm/sec.)  
 Imager Field of : 48.0° x 36.7°  
 View : 48.0° x 33.7° (image capture)  
 Operating Temp : 32° to 104° F / 0° to 40° C



## Pegasus Handheld Barcode Scanner



**Zebra LS-2208 Handheld Barcode Scanner**  
Scan Rate: 100 scans/sec  
Scanner Type: Bi-directional  
Laser Safety: CDRH Class II, IEC Class 2



**Pegasus PS3113 2D Reader**  
Read all major 1D & 2D symbols  
RJ-45 phone jack connector  
handheld auto detection RS232,  
USB keyboard, USB virtual com



**Datalogic QuickScan Lite QW2100**  
Read all major 1D symbols, as well as those on electronic screens  
image auto detection, Ready for all POS system easy firmware upgrade  
Drop Resistance to 1.5 m / 5.0 ft



**Honeywell MS-9520**  
650-nm Nanometer laser  
Codegate CodeGate® data transmissions  
Scan speed: 72\_2 scan line/sec  
Minimum bar width: 0.127mm(5mil)

## Pegasus Omni-Directional Barcode Scanners



**Honeywell MS-7820 Solaris**  
Scan speed : 1,120 scans/sec  
Scan Pattern: 5 fields of 4 parallel lines  
Decode Capabilities Reads standard 1D and GS1 DataBar symbologies



**Honeywell MS-7120 Orbit**  
Scan speed : 1,120 scans/sec  
Scan pattern: 5 fields of 4 parallel lines (omnidirectional)  
Number of scan line : 20  
LaserPower: 0.681 mW (peak)



**Datalogic Magellan 2200VS**  
Reads UPC bar codes from 1 in./2.54 cm to over 30 in./76.2 cm  
Reliable performance, rated to 250,000+ insertions  
Bluetooth v2.1 Class 2 Radio  
Rechargeable replaceable battery with 'green sustainability'



**Datalogic Cobalto CO5300**  
Operating: 0 to 40 °C / 32 to 104 °F  
Storage/Transport: -40 to 70 °C / -40 to 158 °F  
Input Voltage: 5 VDC +/- 5%  
Light Source: 650 nm VLD  
Resolution: 0.130 mm / 5 mils

## Pegasus Data Collectors



**Motorola CS3000**  
Flexible mobile 1-D laser scanner  
1D laser barcode scanner  
512MB flash memory  
Includes USB cables  
Long battery : A 24-hour batch/12-hour



**Pegasus DC-7010 Data Collector**  
Pegasus DC-7010 is battery-operated portable data collector with look-up function. Data capacity 1 MB or 35,000 records scan trigger key, optical 1D reader



**Motorola MC2100**  
Display : 2.8 in. QVGA with backlight TFT-LCD  
Connectivity : Wi-Fi 802.11b/g/n and Bluetooth (MC2180 only); USB 1.1 full speed host/client  
CPU: Marvell PXA 320 624 Mhz



**Pegasus IDC-3500 Data Collector**  
With bluetooth communication Technology decode all major 1D Barcode symbologies including GS1 databar. High performance Scan rate 100 scans/sec

## Pegasus Biometric Terminals



**Pegasus iFC-3100 Time Attendance & Access Control**  
Fingerprint capacity: 20,000 users  
Time Attendance records: 150,000  
ID Card Capacity: 20,000 (Optional)  
Display: 3.5" TFT LCD



**Pegasus iFC-3000 Time Attendance & Access Control**  
Fingerprint capacity: 3000 users  
Time Attendance records: 100000  
3.5" TFT LCD graphical display  
TCP/IP network interface support  
backup battery



**Pegasus iFace-U900 Time Attendance & Access Control**  
Finger capacity : 2000 users  
Face capacity : 3000 users  
Display : 4.3 inch touch screen  
Communication: TCP/IP



**Pegasus iFC-SF100**  
Fingerprint Sensor : 500 DPI  
Optical Sensor  
Communication : USB-host ,TCP/ IP, RS 485  
Fingerprint Templates : 500  
Transaction Storage : 80,000  
Card Capacity : 5000

## Pegasus POS Hardware



**Pegasus KB-67/KB-78/KB-112 Programmable Keyboard**  
With 66/78/112 Cherry MX keys based on gold crosspoint technology, and have tactile feeling. Different relegendable keycaps (1-fold, 2 fold, 4 fold) are available. 6 steps keylock, life cycles: >25,000, card swipe speed: 10 to 100 cm/s, KB-67 with smart card reader



**Pegasus 3 Tracks Mini Magnetic Card Reader & Encoder**  
Three track magnetic card reader with serial output. This reader takes power from the serial port and outputs a 9600bps 8N1 ASCII serial stream. Interface PS/2, RS-232 or USB available 300,000 passes.



**Pegasus H-701 & VFD Customer Display**  
Large display 20x2 line support built-in 7 inches TFT panel  
Resolution: 480x243x3(RGB)  
able to access ECS/POS commands for text display support on the field  
VESA mounting (75x75mm)



**Pegasus SCR-311 Smart Card Reader**  
Contact reader with vertical card insertion slot, one hand operation with optional heavy weight base, 100,000 insertion, full speed USB 2.0 (12 mbps) T=0, T=1 protocol support, communication speed up to 344, 105 bps (PPS, FI parameter) support ISO 7816 class A and AB smart card

## ZEBRA Zebra Barcode Label Printers



**Zebra ZD420 Thermal Printer**  
Print Method: Thermal transfer print  
Memory: 512 MB Flash 256 MB SDRAM  
Print Speed: 4 in./102 mm per second (300 dpi)  
Resolution: 203 dpi/8 dots per mm  
Print Width: 4.09 in./104 mm for 203 dpi and 300 dpi



**Zebra GC420 Series Desktop Printer**  
Print methods: Direct thermal print method and thermal 32 bit RISC processor  
Resolution: 203 dpi/8 dots per mm  
4"/102 mm per second maximum  
Print width: 4.09"/104 mm



**Zebra ZD410 Series Desktop Printer**  
Print method: Direct Thermal print method  
Resolution: 203 dpi/8 dots per mm  
Optional: 300 dpi/12 dots per mm  
Memory: 512 MB Flash; 256 MB SDRAM  
Print Width: 2.2 in./56 mm for 203 dpi and 300 dpi



**Zebra ZT420 Series RFID Printer**  
Resolution: 203 dpi/8 dots per mm  
300 dpi/12 dots per mm  
Memory: 256 MB SDRAM memory  
Max Print Width: 6.6"/168 mm  
Max Print Speed: 14 ips/356 mm per Second

## ZEBRA Zebra Barcode Label Printers



**Zebra HC-100 Patient ID Solution**  
Print Method: Direct thermal print  
Resolution: 300 dpi/12 dots per mm  
Print speed: 2"/51 mm per second  
Print width: 0.75"/19.05 mm, 1"/25.4 mm, 1.1875"/30.16 mm



**Zebra ZT230 Series Desktop Printer**  
Print method: Direct Thermal print method  
Resolution: 203 dpi/8 dots per mm  
Optional: 300 dpi/12 dots per mm  
Memory: 128 MB Flash; 128 MB SDRAM  
Print Width: 4.09"/104 mm



**Zebra ZT400 Series Industrial Printer**  
Print Methods - Thermal transfer and direct thermal printing  
Resolution: 203 dpi/8 dots per mm  
Zebra's Link-OS® environment



**Zebra ZD500R Series Rfid Printer**  
Print method: Direct Thermal print method  
Resolution: 203 dpi/8 dots per mm  
Optional: 300 dpi/12 dots per mm  
Memory: 128 MB Flash; 256 MB SDRAM  
Print Width: 4.09"/104mm

## EPSON Receipt Printers



**Epson TM-T88IV / TM-T88V Thermal Receipt Printer**  
High Speed printing upto 7.9"/sec  
Same print speed for both text & graphics  
Easy-to-use drop in paper loading  
Wide range of connect-It interfaces



**Epson TM-T20 Thermal Receipt Printer**  
Epson's cost effective TM-T20 thermal receipt printer.  
Print Methods - Thermal line printing  
Print speed: Max. 150 mm/sec



**Epson TM-U220A/B Dot-matrix Impact printer**  
Easy drop-in paper loading  
Two-color black and red printing  
Impactful logo printing in black  
Sturdily, lightweight printer.



**Pegasus PR-8001 Wifi Thermal Receipt Printer**  
Print method: Thermal line  
Printing speed: 250mm/s  
Driver: Windows 2000/XP/7/Vista/8/Linux  
Paper type: Thermal paper (width 79.5±0.5mm, thickness 0.06 to 0.07mm)  
Port: Parallel, serial, USB, Ethernet  
interfaces optional



# ZEBRA Zebra Mobile Printers



**Zebra QLN Series Direct Thermal Mobile Label Printers**  
With Zebra's Link-OS® environment, Apple® iOS, Android, Windows Mobile and BlackBerry® connectivity, Direct thermal printing of barcodes, text and graphics. Print speed : Up to 4"/102 mm per second. Large, easy-to-read LCD control panel (240 x 128 pixels).

**Pegasus Pm8001 Thermal Portable Printer**  
Printing way: Thermal Line printing  
Paper width: 80mm  
Printing width: 72 mm  
Resolution: 203dpi(8 dot/mm)  
Printing speed: 75 mm/s (max)  
Power Supply: USB/Power adapter/mobile

**IMZ320 Mobile Printer**  
Direct thermal printing of barcodes, text and graphics  
203 dpi/8 dots per mm resolution  
Print speed: Up to 4"/102 mm per second  
400MHz 32-bit ARM® processor with 128 MB RAM memory, 128 MB Flash memory  
1.6Ahr Li-Ion battery  
Bluetooth: 2.1

# ZEBRA Zebra ID Card Printers



**Zebra ZXP Series 3 Direct-to-Card Printer**  
Dye-Sublimation thermal transfer direct to card full color or monochrome printing, Manual card feeder bezel optional 180 cph single sided YMCKO, 140 cph dual-sided YMCKOK

**Zebra ZXP Series 7 High Performance Card Printer**  
Single side & Double side card printer  
Optional single and double side laminator color dye sublimation or monochrome thermal transfer printing 300 card/hour full color YMCKO single sided, 255 card/hour full color YMCKOK dual sided

**Zebra ZXP Series 8 Retransfer ID Card Printer**  
Printing: Dual sided printing 190 cards/hour (full Color single sided) 21 character, 6 line LCD  
Display 150 cards capacity card feeder  
Print resolution: 304 dpi (12 dots/mm)  
Laminator: Single sided and dual sided

**Pegasus PCP Series ID Card Printer**  
Printing: Double/Single Sided, edge-to-edge printing, Ethernet support  
Print Technology: Direct-to-card Dye-sublimation / Resin thermal transfer  
Print Resolution: 300 dpi (11.8 dpm), 16.7 Million Color  
OS: Windows 8, Windows 7, Windows Vista, XP, Windows 2008 Server, Windows 2003 Server



# Pegasus iPhone & iPad Enclosures



**Barcode Scanner for iPhone and Android Phone**  
DC9277J: Plug and Play (Wired, for Android OTG phone)  
iDC9277J: BT communication (wireless, for iOS device)  
You can charge DC9277J & smartphone through its micro USB port directly.

**Infinite X Peripherals Infinea Scanner**  
Compatibility: iPhone 5, iPod touch 5  
Communications: USB Interface, Bluetooth: 3.0  
Barcode Scanner: 2D High Speed Imager  
RFID Reader: MIFARE MINI

**Infinea Omni- Self service Kiosk and barcode scanner for iPad Air**  
Compatibility: iPad Air & iPad Air 2  
LEDs: Green LED indicates that there is PoE power to the RJ-45 connector panel, Battery Rechargeable Li-Ion  
Op. temp: 10°C to +40°C (50°F to 104°F)

**Linea Pro 6 for iPhone 6 and 6s**  
Standard Features  
2D high speed imager, Li-Ion battery, Lightning Connector, Mag-stripe Reader  
1D Barcode Reader, Encryption Capable MSR, RFID, Bluetooth

# Pegasus Queue System



**Pegasus PQB42 Wireless Queue System**  
Ideal for Application :  
Office, Clinic, Hospital, Government Offices, Support to Services

**Pegasus PQB41 Wireless Queue System**  
Ideal for Application :  
Bank, Clinic, Hospital, Sales Counter, Support to Services

**Pegasus iKiosk For iPad & Tablets**  
Dimension: 460.0W x 348.0D x 1473.0H mm  
18.1W x 13.7D x 58.0H  
Material: SPCC  
Net Weight: 20 Kg  
Tablet Compatibility Standard : iPad Pro  
Custom Service : Other sizes can be custom made

# Pegasus Price Checker Terminals

With Price Checker & Advertising Software



**Applications :**  
Online Ordering in Store  
Online Price Checking  
Push to talk & two way radio  
Smart badge for employee  
Stock Checking & Data Collector Functionality.

**Pegasus PC500 Price Checker Machine**  
Display: 5.7" diagonal  
OS: Standard Linux 2.6 Kernel or WinCE 6.0  
Audio port high definition stereo, 3.5 mm standard jack, SD card slot  
RAM: 128 MB, WiFi, Ethernet support

**Motorola MK-500 Kiosk Price Checker**  
Display: Size: 3.5 in. / 8.9cm diagonal  
Resistive Touch Screen: Standard.  
1D Laser scanner 2D Image scanner.  
Available Applications: Web Kiosk Software Suite with Source Code.

**Motorola SB1 Smart Badge**  
Turn shoppers into buyers.  
Bar Code reader 1d/2d omni-directional bar code reader. WiFi, 3.0 inch e Ink Pearl display; 4-bit gray scale (16 shades); QVga (320x240), Audio: Beeper, Multicolor LEDs.

# Pegasus InClosure Solution For iPhone & Tablet



**Pegasus CM3330 Incloser Solution**  
Tablet compatibility: iPad 2,3,4 & iPad Air 1,2 or as customized  
Cash drawer compatibility: American version-Tray with 5 bills / 5 coin  
European version-Tray with 5 bills / 9 coin  
Printer holder compatibility: Epson TM T88V  
Rongta RP80VS Dimen. <145x156x152 mm

**Pegasus CM3530 Incloser Solution**  
Tablet compatibility: iPad 2,3,4 & iPad Air 1,2 or as customized  
Cash drawer compatibility: American version-Tray with 5 bills / 5 coin  
European version-Tray with 5 bills / 8 coin  
Printer holder compatibility: Epson TM T88V  
Rongta RP80VS Dimen. <145x156x152 mm

**Pegasus TPOS 10.1" Tablet POS System**  
Intel cherry trail Z8300 quad core 1.44GHz  
Storage capacity : 32GB or 64GB selectable  
7900 mA large capacitive battery  
Mega-Pixel camera ( 2 MP / 8 MP)  
Embedded finger print identification  
Wireless connectivity : WiFi 802.11



Pegasus BP-4001 Barcode Printing Series

## Multi-function stand-alone operation Features

- Features :**
- No PC Operating
  - Multilingual LCD display
  - Easy forms update and easy data storage via SD card
  - Convenient form operation
  - SAP & Oracle support
  - Print Label from Barcode reader & keyword
  - EPL Language support
  - BarDesigner label Designer Label Designing Software FREE with Database support



## Try Our Cloud Restaurant System

- Reliable, Fast & Easy to use. Phomello POS is our core restaurant and hospitality operations offering. It is flexible in design and can easily be set up to support a broad variety of restaurant concepts and workflows.
- Features :**
- Multi Payment
  - Roles & Permission
  - Real Time Reports
  - Customized Discounts
  - Menu Engineering
  - Dispatch System
  - Table Management
  - Call Center
  - Reservation
  - Membership



## Try Our Cloud Warehousing, Asset & RFID Tracking System

- Cloud Warehousing & Asset Tracking Mobility Barcode & RFID Solution
- Features :**
- Online / Offline
  - User Customize modules
  - Ware house modules : Goods Receiving, Transfers, Stock Checking, Price Checking, & Deliveries modules
  - Asset Tracking : Issues, Asset Tracks, Asset Counts
  - Easy Integration with Microsoft Dynamics, SAP, Oracle & Sql Database
  - Easy Setup By Cloud
  - Support Android phones and mobile computer



## Track your staff, vehicles and staff works

- GeoWork used to locate Staff, vehicle and your staff work with the help of online software or smart phone. The location of the vehicle & staff is collected through GPS and this location data along with other information collected from the smartphone and GPS tracker and sent to the central server.
- Features:**
- Unlimited Contacts
  - Live Tracking
  - Manage Outdoor
  - Automated Email & SMS
  - Online Messaging
  - Track Order